

DIETARY GUIDELINES FOR AMERICANS 2015-2020 EIGHTH EDITION



DietaryGuidelines.gov

Executive Summary



Key Recommendations provide further guidance on how individuals can follow the five Guidelines. The *Dietary Guidelines'* Key Recommendations for healthy eating patterns should be applied in their entirety, given the interconnected relationship that each dietary component can have with others.



Key Recommendations:

Consume a healthy eating pattern that accounts for all foods and beverages within an appropriate calorie level.

A healthy eating pattern includes:^[1]

- A variety of vegetables from all of the subgroups—dark green, red and orange, legumes (beans and peas), starchy, and other
- Fruits, especially whole fruits
- Grains, at least half of which are whole grains
- Fat-free or low-fat dairy, including milk, yogurt, cheese, and/or fortified soy beverages
- A variety of protein foods, including seafood, lean meats and poultry, eggs, legumes (beans and peas), and nuts, seeds, and soy products
- Oils

A healthy eating pattern limits:

- Saturated fats and *trans* fats, added sugars, and sodium

Key Recommendations that are quantitative are provided for several components of the diet that should be limited. These components are of particular public health concern in the United States, and the specified limits can help individuals achieve healthy eating patterns within calorie limits:

- Consume less than 10 percent of calories per day from added sugars^[2]
- Consume less than 10 percent of calories per day from saturated fats^[3]
- Consume less than 2,300 milligrams (mg) per day of sodium^[4]
- If alcohol is consumed, it should be consumed in moderation—up to one drink per day for women and up to two drinks per day for men—and only by adults of legal drinking age.^[5]

In tandem with the recommendations above, Americans of all ages—children, adolescents, adults, and older adults—should meet the *Physical Activity Guidelines for Americans* to help promote health and reduce the risk of chronic disease. Americans should aim to achieve and maintain a healthy body weight. The relationship between diet and physical activity contributes to calorie balance and managing body weight. As such, the *Dietary Guidelines* includes a Key Recommendation to:

- Meet the *Physical Activity Guidelines for Americans*.^[6]

[1] Definitions for each food group and subgroup are provided throughout Chapter 1: Key Elements of Healthy Eating Patterns and are compiled in Appendix 3. USDA Food Patterns: Healthy U.S.-Style Eating Pattern.

[2] The recommendation to limit intake of calories from added sugars to less than 10 percent per day is a target based on food pattern modeling and national data on intakes of calories from added sugars that demonstrate the public health need to limit calories from added sugars to meet food group and nutrient needs within calorie limits. The limit on calories from added sugars is not a Tolerable Upper Intake Level (UL) set by the Institute of Medicine (IOM). For most calorie levels, there are not enough calories available after meeting food group needs to consume 10 percent of calories from added sugars and 10 percent of calories from saturated fats and still stay within calorie limits.

[3] The recommendation to limit intake of calories from saturated fats to less than 10 percent per day is a target based on evidence that replacing saturated fats with unsaturated fats is associated with reduced risk of cardiovascular disease. The limit on calories from saturated fats is not a UL set by the IOM. For most calorie levels, there are not enough calories available after meeting food group needs to consume 10 percent of calories from added sugars and 10 percent of calories from saturated fats and still stay within calorie limits.

[4] The recommendation to limit intake of sodium to less than 2,300 mg per day is the UL for individuals ages 14 years and older set by the IOM. The recommendations for children younger than 14 years of age are the IOM age- and sex-appropriate ULs (see Appendix 7. Nutritional Goals for Age-Sex Groups Based on Dietary Reference Intakes and Dietary Guidelines Recommendations).

[5] It is not recommended that individuals begin drinking or drink more for any reason. The amount of alcohol and calories in beverages varies and should be accounted for within the limits of healthy eating patterns. Alcohol should be consumed only by adults of legal drinking age. There are many circumstances in which individuals should not drink, such as during pregnancy. See Appendix 9. Alcohol for additional information.

[6] U.S. Department of Health and Human Services. *2008 Physical Activity Guidelines for Americans*. Washington (DC): U.S. Department of Health and Human Services; 2008. ODPHP Publication No. U0036. Available at: <http://www.health.gov/paguidelines>. Accessed August 6, 2015.

Figure ES-1.

2015-2020 Dietary Guidelines for Americans at a Glance

The 2015-2020 Dietary Guidelines focuses on the big picture with recommendations to help Americans make choices that add up to an overall healthy eating pattern. To build a healthy eating pattern, combine healthy choices from across all food groups—while paying attention to calorie limits, too. Check out the 5 Guidelines that encourage healthy eating patterns:



Figure ES-1. (continued...)

2015-2020 Dietary Guidelines for Americans at a Glance

The 2015-2020 Dietary Guidelines focuses on the big picture with recommendations to help Americans make choices that add up to an overall healthy eating pattern. To build a healthy eating pattern, combine healthy choices from across all food groups—while paying attention to calorie limits, too. Check out the 5 Guidelines that encourage healthy eating patterns:

3

Limit calories from added sugars and saturated fats and reduce sodium intake.
Consume an eating pattern low in added sugars, saturated fats, and sodium. Cut back on foods and beverages higher in these components to amounts that fit within healthy eating patterns.

Consume an eating pattern low in added sugars, saturated fats, and sodium.

Example Sources of:



Added Sugars

Saturated Fats

Sodium

4

Shift to healthier food and beverage choices.
Choose nutrient-dense foods and beverages across and within all food groups in place of less healthy choices. Consider cultural and personal preferences to make these shifts easier to accomplish and maintain.

Replace typical food and beverage choices with more nutrient-dense options. Be sure to consider personal preferences to maintain shifts over time.

Example:



Meal A

Shift

Meal B

Everyone has a role in helping to create and support healthy eating patterns in places where we learn, work, live, and play.

5

Support healthy eating patterns for all. Everyone has a role in helping to create and support healthy eating patterns in multiple settings nationwide, from home to school to work to communities.



CHAPTER

1

Key Elements of Healthy Eating Patterns

